

Always on Duty.



Delivering Efficiency, Strength and Rock Solid Value.

The Efficiency You Want.

Feeling confident—that's what a Guardian® central heating and cooling system stands for. That's because we deliver tested durability, money-saving efficiency and outstanding value backed by strong warranties. Combined with the expertise of your Guardian® Contractor, you can count on a professional installation that will be Always on Duty for years to come.



Air Conditioners

Proven efficiency with up to 17 SEER performance
Packs major cooling performance in a compact outdoor cabinet.

TRIM: Space-saving advanced coils pack more efficiency in less space.

RUGGED: Heavy-duty compressor provides pressure and temperature protection, plus permanently lubricated fan motor that does not require annual servicing.

RESPONSIBLE: Answers your environmental and energy concerns with non-ozone depleting R-410A refrigerant and energy efficient 14 and 17 SEER models.

QUIET: Enjoy quieter fan operation and better air quality inside.

Heat Pumps

All-season performance with 14 SEER cooling and 8.2 HSPF heating efficiency

Delivers year-round comfort with reliability that handles all seasons.

ADVANCED: Innovative demand-defrost system increases efficiency and performance in cold weather.

PROTECTION: Rugged copper tube and aluminum fins are protected by a reliable coil guard.

TOUGH: Heavy-duty compressor and fan motor withstand demanding, year-round operation.

SUSTAINABLE: Runs with environmentally-friendly R-410A refrigerant for cooling and reduces utility CO₂ emissions by minimizing electricity consumption for heating.



The Reliability You Need.



Gas Furnaces

Outstanding 96% AFUE efficiency Solid 80% AFUE performance

Our 96% AFUE model saves energy even on the coldest days with up to 40% higher efficiency than older furnaces. Or go with our 80% AFUE model that fits naturally vented homes with a chimney.

SOLID: Aluminized tubular steel heat exchanger combines superior corrosion resistance and maximum efficiency.

ADVANCED: Integrated control module ensures reliable, safe operation while increasing fuel efficiency.

COMPACT: Small 33-inch size is a perfect fit for limited space applications.

DURABLE: Powder-coated paint on heavy-gauge, pre-painted galvanized sheet metal creates a durable and strong cabinet without sharp edges.

STEALTHY: Quiet operation minimizes operating noise in your living space.

SAFE: Hot surface ignition eliminates the need for a pilot flame, giving you greater peace of mind.

Single Packaged Units

Compact 14 SEER cooling and 81% AFUE heating performance

Combines electric cooling with electric or efficient gas heating in one compact outdoor package that saves space indoors.

TRUSTWORTHY: Gas models use proven spark ignition, and corrosion-resistant multi-port in-shot burners ensure long-term reliability.

ADVANCED: Cooling coil features rifled copper tubing and enhanced aluminum fins to improve heat transfer so you stay more comfortable for less cost.

BRILLIANT: Resists rust and corrosion with tubular aluminized steel heat exchanger for longer system life.



Quality that's backed by Guardian® Limited Warranties

Guardian® products are proudly built and tested in our world-class manufacturing plant in America's heartland country-Wichita, Kansas-where doing a quality job is a deep tradition. That's why we're proud to cover our Guardian® heating and cooling equipment with some of the strongest warranties in the business.

Air Handlers and Evaporator Coils



Perfectly matched components make a perfect fit

Our super quiet, highly efficient single piece air handler evenly supplies conditioned air throughout your home, thanks to an advanced motor design and fully insulated cabinet that reduces noise and summer sweating. And for chilly nights when extra warmth is desired, back-up electric heat is also available. Our evaporator coils are "compatibility engineered" to match and operate perfectly with your Guardian® cooling or heating system.

Product Specifications

MODEL	DESCRIPTION	CAPACITY	LIMITED WARRANTY
MODEL	FURN		LIMITED WARRANTY
20500 5			U.S. II. 15 1 2/40 V D 1 22
RGF29-E	Up to 96% AFUE, two stage	60-120 MBH input	Lifetime Heat Exchanger*/10-Year Parts**
RGF2L-E	80% AFUE, two stage	60-120 MBH input	20-Year Heat Exchanger/10-Year Parts**
RGF19-P, RGF19-E	95% AFUE	40-120 MBH input	Lifetime Heat Exchanger*/10-Year Parts**
RGF1L-P, RGF1L-E	80% AFUE	40-120 MBH input	20-Year Heat Exchanger/10-Year Parts**
SPLIT SYSTEM AIR CONDITIONERS			
RAC17L	17 SEER	1.5-5 Tons	10-Year Compressor/10-Year Parts**
RAW14L	14 SEER/ High EER	1.5-5 Tons	10-Year Compressor/10-Year Parts**
RAC14F	14 SEER with Tube-in-Fin Coil	1.5-5 Tons	10-Year Compressor/10-Year Parts**
RAC14L	14 SEER	1.5-5 Tons	10-Year Compressor/10-Year Parts**
RAC13L	13 SEER	1.5-5 Tons	10-Year Compressor/10-Year Parts**
SPILT SYSTEM HEAT PUMPS			
RHP14L	14 SEER/8.2 HSPF	1.5-5 Tons	10-Year Compressor/10-Year Parts**
AIR HANDLERS			
RFCX-P2	Single piece with PSC motor and MaxAlloy™ coil	1.5-5 Tons	10-Year Parts**
RFCX-E2	Single piece with ECM motor and MaxAlloy™ coil	1.5-5 Tons	10-Year Parts**
MP	Modular design with PSC motor	2-5 Tons	10-Year Parts**
ME	Modular design with ECM motor	2-5 Tons	10-Year Parts**
SINGLE PACKAGED UNITS			
PCE4	14 SEER cooling	2-5 Tons	10-Year Compressor, Parts, Electric Heat
PCG4	14 SEER cooling/81% AFUE gas heating	2-5 Tons	10-Year Heat Compressor, Parts/ Lifetime Heat Exchanger*
PHE4	14 SEER cooling/8 HSPF heat pump heating	2-5 Tons	10-Year Compressor, Parts, Supplemental Electric Heat
PHG4	14 SEER cooling/8 HSPF heat pump/ 81% AFUE gas heating	2-5 Tons	10-Year Compressor, Parts, Supplemental Electric Heat/Lifetime Heat Exchanger*

 $For additional \ product \ details, such as \ weight \ and \ dimensions, \ visit \ www.guardianhomecomfort.com\ or\ ask\ your\ Guardian ^{\circ}\ Contractor.$







^{*} For lifetime heat exchanger limited warranty, system must be registered online within 90 days of installation. Otherwise, the warranty reverts to the standard 20-year heat exchanger limited warranty.

^{**} For 10-year parts and compressor limited warranties, system must be registered online within 90 days of installation. Otherwise the warranty reverts to the standard warranty as published in the product warranty certificate. (Three-phase models do not qualify for the 10-year warranty. Three-phase models have a 1-year parts and a 5-year compressor warranty.)

^{***} Requires high-efficiency ECM motor indoor unit.