

YORK[®] LATITUDE[™] SERIES AIR HANDLERS

AP, MP MODELS WITH PSC BLOWER MOTOR

-
* YORK



WHEN QUALITY MATTERS

Since 1874, we've provided air quality solutions for some of the most complex structures in the world. Today, we take pride in knowing YORK[®] home comfort systems are keeping our friends and neighbors comfortable in homes across the country. And since YORK[®] air handlers are designed and built in North America by Johnson Controls – a leader in world-class manufacturing – you can be confident a YORK[®] air handling system will provide your family with comfort, energy savings and lasting performance for years to come.

YORK[®] LATITUDE[™] SERIES SPLIT SYSTEM AIR HANDLERS

- Efficient blower uses a proven PSC motor to circulate air effectively and quietly for improved comfort.
- Precision cabinet construction saves energy with ultra-low leakage and vanishingly low air infiltration.
- Advanced single-piece or modular units provide a perfect match for the system to ensure quiet, efficient operation.

- Allergen filtration and indoorair-quality options keep your home cleaner and healthier.
- Quiet, direct-drive fan design minimizes vibration and noise.
- Efficient heat transfer with MaxAlloy™ aluminum coil in singlepiece units to provide effective airflow and refrigerant circulation.
- Hygienic base pan design prevents moisture and dirt from collecting inside the unit.
- Long-lasting, powder coat paint maintains a durable, automotive-quality finish that looks great for years.





System tested to be tough More than 125,000 hours of system research, 5 years of accelerated field testing and extreme weather testing from +140°F to -10°F ensure reliable performance that lasts.

Advanced manufacturing State-of-the-art quality control and assembly processes built upon the manufacturing expertise of Johnson Controls. Optimized efficiency Matched components do more with less, which is why YORK® products fit perfectly in your home while delivering advanced levels of efficiency.

(L)

Space and budget friendly Quiet, small-footprint

cabinets deliver big performance with features that meet your needs and fit your budget.



Safe for the environment, inside and out

We use R-410A refrigerant, which doesn't harm the ozone and keeps your system safe and efficient.



Independent endorsements

YORK[®] products are regular recipients of *Consumers' Digest* "Best Buy" Rankings and the *Good Housekeeping* Seal of Approval.

QUALITY IS SOMETHING ERICAN WE TAKE PERSONALLY

We design and build YORK® products here in North America, where we can closely monitor and improve processes that directly affect quality. It's this commitment to excellence that allows us to offer outstanding warranties, meet the highest industry standards and deliver energy-saving comfort that lasts a lifetime. That's why, when it comes to your home comfort, your confidence is our commitment.

Latitude[™] Series **Air Handling Units**



* 10-Years parts limited warranty requires online registration within 90 days of installation. Otherwise, the warranty reverts to the standard 5-Years parts limited warranty.

Latitude™ Series AP, MP Standard Air Handling Units 208/230-1-60

CA	NOMINAL	NONINAL	ELECTRIC AVAILABLE (KW)		DIMENSI	ons (inches)	5 (Mail	SUPPLY PLENUM (INCHES)	FILTER (INCHES)	SHIPPING/ OPERATING WEIGHT (LBS)
	CAPACITY (TONS)*	NOMINAL CFM		H	Ŵ	D (CASING)	D (W/ DOORS)			
AP18BX21	1.5	600	2, 5, 8, 10	41	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	91/85
AP24BX21	2	800	2, 5, 8, 10, 13	41	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	93/87
AP30BX21	2.5	1000	2, 5, 8, 10, 13, 15	47-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	119/113
AP36BX21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	47-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	119/113
AP36CX21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	120/114
AP42CX21	3.5	1400	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	144/136
AP48CX21	4	1525	2, 5, 8, 10, 13, 15, 18, 20	51-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	158/150
AP60CX21	5	1600	2, 5, 8, 10, 13, 15, 18, 20	55-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	156/146
AP48DX21	4	1750	2, 5, 8, 10, 13, 15, 18, 20, 25	55-3/4	21	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	163/153
AP60DX21	5	1800	2, 5, 8, 10, 13, 15, 18, 20, 25	55-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	180/170
MP08BN11	2	800	N/A	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP08BN21	2	800	2, 5, 8, 10, 13	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP08BN41	2	800	+	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN11	3	1200	N/A	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN21	3	1200	2, 5, 8, 10, 13, 15, 18, 20	21-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP12BN41	3	1200	- ÷	22-1/2	17-1/2	20-1/2	21-1/2	12-3/16 x 16-1/2	16 x 20 x 1	52/51
MP14DN11	3.5	1400	N/A	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP14DN21	3.5	1400	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP14DN41	3.5	1400	-	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP16CN11	4	1600	N/A	22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP16CN21	4	1600	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP16CN41	4	1600		22-1/2	21	20-1/2	21-1/2	12-3/16 x 20	20 x 20 x 1	68/67
MP20DN11	5	1800	N/A	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74
MP20DN21	5	1800	2, 5, 8, 10, 13, 15, 18, 20	22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 × 23-1/2	22 x 20 x 1	75/74
MP20DN41	5	1800		22-1/2	24-1/2	20-1/2	21-1/2	12-3/16 x 23-1/2	22 x 20 x 1	75/74



The York brand of Johnson Controls, Inc. @2015 Johnson Controls, Inc. 5005 York Drive, Norman, OK 73069 www.york.com Subject to change without notice. PUBL-7701-A-0715 All rights reserved.



